

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (abstract adj2 type)).ab. or (compiler same (abstract adj2 type)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:04
-	22	5659753.URPN.	USPAT	2004/03/18 09:18
-	4	("5175856" "5187789" "5276881" "5280617").PN.	USPAT	2004/03/18 09:44
-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 09:54
-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm.)) not ((@ad<=20001219 or @rlad<=20001219) and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:19
-	12	(abstract near3 "data type") and supertype	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 09:55
-	2	(constant adj2 (class and interface)) and descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 09:58
-	6	(constant adj2 (class and interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:18
-	13	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:12
-	29	(class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:14
-	81	(object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:28
-	55710	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:09
-	795	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21
-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:46

-	2	(((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type or superclass)) and ((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))))).ab. or (compiler same (neutral or (platform near2 independent))))).clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21
-	544	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type or supertype)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:15
-	526	(((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type or superclass)) and ((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21
-	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) or ((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:22
-	9	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:29
-	74	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:29
-	17	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:30
-	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) and ((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:12
-	2	("5313635" "5381534").PN.	USPAT	2004/03/18 11:35
-	2	5761512.URPN.	USPAT	2004/03/18 11:37
-	182	(ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:13
-	6	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:13

-	39	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and (supertype)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:16
-	1	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and (supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:16
-	6	("5163016" "5168441" "5513122" "5522063" "5568396" "5568636").PN.	USPAT	2004/03/18 12:17
-	7	5854929.URPN.	USPAT	2004/03/18 12:29
-	22	5659753.URPN.	USPAT	2004/03/18 12:27
-	3	5659753.URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	2004/03/18 12:31
-	1	5854929.URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	2004/03/18 12:31
-	8	6477683.URPN.	USPAT	2004/03/18 12:31
-	10	("5450586" "5535331" "5748875" "5819050" "5854929" "5870588" "5999734" "6006022" "6182206" "6195593").PN.	USPAT	2004/03/18 12:32
-	6	("5163016" "5168441" "5513122" "5522063" "5568396" "5568636").PN.	USPAT	2004/03/18 12:36
-	25	5313635.URPN.	USPAT	2004/03/18 12:36
-	7	("5355491" "5488714" "5854929" "5918035" "6226776" "6292938" "6463582").PN.	USPAT	2004/03/18 12:41
-	135	(@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:55
-	9	((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (class and ((abstract adj2 type) or (generic adj (class or defin\$6))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:53
-	16	((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:05
-	1	(((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:47
-	6	(compiler same (data adj2 type)) and (constant adj2 (class or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:58
-	5	(@ad<=20001219 or @rlad<=20001219) and ((compiler same (data adj2 type)) and (constant adj2 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:56
-	1	(compiler same (data adj2 type)) and ("constant interface")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:59

-	22	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:46
-	2	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<=20001219 or @rlad<=20001219)) and supertype	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:01
-	2	Praet.in. and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:10
-	1	Chen.in. and object-oriented and "constant pool"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:14
-	3	Yellin.in. and constant and cross-compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:43
-	6	(((((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:45
-	9	(nML and compiler) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:21
-	4	((nML and compiler) and (@ad<=20001219 or @rlad<=20001219)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	1	supertype and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:48
-	1279	object-oriented and (type near3 (relationship or hierarchy or dependency or tree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
-	143	(object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20

-	44	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:47
-	26	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:24
-	21	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 (tree or hierarchy or interrelationship or relationship or association))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:46
-	21	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 (tree or hierarchy or interrelationship or relationship or association))) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:47
-	14	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 (tree or hierarchy or interrelationship or relationship or association))) and (supertype or IDL or metadata)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:03
-	14	nML and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:08
-	0	Fauth.in. and nML and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:15
-	1	object-oriented and nML and retargetable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:17
-	8	class and nML and retargetable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:19
-	5	(class and nML and retargetable) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:35
-	19	nML same (object-oriented or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:35

-	2	(nML same (object-oriented or class)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	34	(US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.	USPAT; US-PGPUB	2004/03/18 16:58
-	0	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:58
-	7	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:59
-	6	RTL and nML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:00
-	448	(abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04

-	160	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	122	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:06
-	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:05
-	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype)) and (retargetable and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:06
-	1	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype)) and (retargetable and compiler)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:07
-	34	(US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.	USPAT; US-PGPUB	2004/03/19 09:05
-	12	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (abstract adj2 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:19

-	11	(object-oriented and nML) and (programmable or retargetable or HDL or simulation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:20
-	10	((object-oriented and nML) and (programmable or retargetable or HDL or simulation)) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:27
-	14	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (pointer same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:43
-	4	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (constant adj2 (class or pool or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:07
-	27	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:08

-	5	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface) and IDL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:43
-	24	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:50
-	9	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library) and (instruction adj set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 17:06
-	4775	((717/156,143,104-117,132-140,154-163) or (716/1) or (707/103R)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 17:08
-	1442	(Real same (Integer or Rational) same (type or class)) or (Rational same Integer same (abstract adj (class or type)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:26
-	1	((Real same (Integer or Rational) same (type or class)) or (Rational same Integer same (abstract adj (class or type)))) and "D-language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:16

-	4199	(extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:20
-	3750	(extend\$4 or implement\$4) near6 (abstract adj2 (type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:21
-	1774	((extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))) and ((extend\$4 or implement\$4) near6 (abstract adj2 (type))) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:21
-	3	(abstract adj2 (type near2 class)) and (((extend\$4 or implement\$4 or instantiat\$5) near6 (abstract adj2 (type or class))) and ((extend\$4 or implement\$4) near6 (abstract adj2 (type))) and (@ad<=20001219 or @rlad<=20001219))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/09 17:22
-	9	(supertype and subtype) and UML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 09:53
-	3	(@ad<=20001219 or @rlad<=20001219) and ((supertype and subtype) and UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:17
-	2	6401100.URPN.	USPAT	2004/09/10 09:55
-	17	("5481718" "5557793" "5581755" "5615367" "5644764" "5671398" "5701472" "5721925" "5758348" "5765039" "5893912" "5937410" "6026428" "6128772" "6182277" "6202066" "6219678"):PN.	USPAT	2004/09/10 09:56
-	163	(model\$3 near3 (computer (architecture or "operating system" or hardware))) .ab. and (class same type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:19
-	70	((model\$3 near3 (computer (architecture or "operating system" or hardware))) .ab. and (class same type)) and (@ad<=20001219 or @rlad<=20001219) and (717/\$ or 345/\$ or 704/\$ or 716/\$ or 703/\$ or 700/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:24
-	5	((model\$3 near3 (computer (architecture or "operating system" or hardware))) .ab. and (class same type)) and (@ad<=20001219 or @rlad<=20001219) and (717/\$ or 345/\$ or 704/\$ or 716/\$ or 703/\$ or 700/\$) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:24
-	20	(supertype and subtype) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 10:24
-	13	((supertype and subtype) and ((Booch or Jacobson and object-oriented) or (Unified adj2 model\$5) or ORM or UML)) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:17
-	27	5873097.URPN.	USPAT	2004/09/10 10:54

-	43	((super and sub) adj (class or type)) and modeling and "abstract class"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:18
-	41	((((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<=20001219 or @rlad<=20001219))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:19
-	30	(((((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<=20001219 or @rlad<=20001219)) not (((((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<=20001219 or @rlad<=20001219)) not Bowman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:20
-	11	(((((super and sub) adj (class or type)) and modeling and "abstract class") and (@ad<=20001219 or @rlad<=20001219)) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 13:21
-	39	(US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5493675-\$ or US-5428792-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$).did. or (US-6347388-\$ or US-6298353-\$ or US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5765039-\$ or US-5644764-\$ or US-6182277-\$ or US-6401100-\$ or US-5873097-\$).did. or (US-20040015899-\$ or US-20020073375-\$ or US-20020019971-\$).did.	USPAT; US-PGPUB	2004/09/10 15:55
-	31	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5493675-\$ or US-5428792-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$).did. or (US-6347388-\$ or US-6298353-\$ or US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5765039-\$ or US-5644764-\$ or US-6182277-\$ or US-6401100-\$ or US-5873097-\$).did. or (US-20040015899-\$ or US-20020073375-\$ or US-20020019971-\$).did.) and (object-oriented programming or model\$4) and (class and interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:03
-	12	716/\$ and UML and ((stack or register or ALU) adj2 (class or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:04

-	12	(@ad<=20001219 or @rlad<=20001219) and (716/\$ and UML and ((stack or register or ALU) adj2 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:09
-	8	(D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:09
-	8	(@ad<=20001219 or @rlad<=20001219) and ((D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:22
-	4	Dwin.xa. and Craig.xa. and "ADD" and 703/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:17
-	46	703/\$ and UML and (abstract adj2 type or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:22
-	37	(@ad<=20001219 or @rlad<=20001219) and (703/\$ and UML and (abstract adj2 type or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:45
-	98	(model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:44
-	667	((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:45
-	487	(@ad<=20001219 or @rlad<=20001219) and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:46
-	333	((@ad<=20001219 or @rlad<=20001219) and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:47
-	75	((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:47

-	213	((@ad<=20001219 or @rlad<=20001219) and ((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:48
-	43	((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:48
-	213	((@ad<=20001219 or @rlad<=20001219) and ((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:49
-	43	((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:48
-	41	((@ad<=20001219 or @rlad<=20001219) and ((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:50
-	6	((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:50

-	5	(((((ad<=20001219 or @rlad<=20001219) and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))) or ((D-Language or "D Language") and ((interface and (implement\$4 or extend\$4)) same class))) and 703/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:50
-	5	(((((ad<=20001219 or @rlad<=20001219) and (((model\$4 or represent\$6 or meta or describ\$5) adj5 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))) or (((((model\$4 adj3 (computer adj3 (infrastructure or system or architecture or component))) and ((Java or C++ or Smalltalk or Object-oriented) adj3 (class or interface)))) and (OMG or UML or ((implement\$4 or extend\$4) near7 (class or interface)))) and (superclas or supertype or subtype or subclass or "abstract class" or "abstract type")) not Bowman.in.) and (superclass or supertype) and (implement\$5 near8 (interface and class))) and 703/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:18
-	4	596746.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:18
-	2	5596746.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 17:18
-	1	(constant adj3 (type or class)) and ((implement\$4 or extend\$5) near4 class) and ((deriv\$4 adj3 class) near6 (constant adj2 class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:07
-	6	Eiffel and (formal adj2 (argument or parameter)) and (routine and declar\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 13:06
-	35	(formal adj (parameter or argument)) same ((object or (class adj2 instance)) near4 pass\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:09

-	33	((formal adj (parameter or argument)) same ((object or (class adj2 instance)) near4 pass\$4)) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/11 14:09
---	----	--	---	---------------------

Type-Oriented Logic Meta Programming (1998) ([Make Corrections](#)) ([6 citations](#))Kris De Volder
Vrije Universiteit Brussel

View or download:

progftp.vub.ac.be/~ogphd9801.ps.gzCached: [PS.gz](#) [PS](#) [PDF](#) [Image](#) [Update](#) [Help](#)[Home/Search](#) [Bookmark](#) [Context](#) [Related](#)From: tunes.org/Review/Reflection ([more](#))
([Enter author homepages](#))[\(Enter summary\)](#)

Rate this article: 1 2 3 4 5 (best)

[Comment on this article](#)

Abstract: The dissertation shows that undecidable and ambiguous type systems have useful applications and should therefore be considered viable options for future statically typed object-oriented languages. This statement can probably be made about static type systems in general. This dissertation however focuses on object-oriented languages. Traditionally, type systems have been included into programming languages for the following reasons [Madsen:90]: documentation: Static types improve the... ([Update](#))

Context of citations to this paper: [More](#)

...different aspect interpretations together. For instance, AJDC (AspectJ Design Checker) [8] is an extension of AspectJ that uses TyRuBa [4] as a logic meta programming engine for finding errors and problems in AspectJ code. AJDC generates facts and rules out of the parse tree...

... this, the environment will be integrated into a standard development environment and use the technique of declarative meta programming [DV98, Men00, Wuy01] As such, it has access to the framework's source code and can reason about and manipulate this code and its...

Cited by: [More](#)Automated Support for Data Exchange via XML - Tom Tourw Programming (2003) ([Correct](#))Using Declarative Metaprogramming To Detect Possible... - Tourwe, Brichau, Mens (2002) ([Correct](#))Optimizing Object-Oriented Languages Through Architectural... - Tom Tourw'e And (1999) ([Correct](#))Active bibliography (related documents): [More](#) [All](#)0.1: Agora: Reintroducing Safety in Prototype-based Languages - De Meuter, Mens, Steyaert (1996) ([Correct](#))0.1: Declarative Reasoning about the Structure of Object-Oriented Systems - Wuyts (1998) ([Correct](#))0.1: Developing Distributed Software Systems by... - Lee, Kim, Yoon... ([Correct](#))Similar documents based on text: [More](#) [All](#)1.2: Automated Support for Framework-Based Software Evolution - Tourwé ([Correct](#))1.0: A Logic Meta-Programming Approach to Support the Co-Evolution of... - Wuyts (2001) ([Correct](#))0.8: Declarative Meta Programming to Support Software Development... - Mens, Wuyts ([Correct](#))Related documents from co-citation: [More](#) [All](#)

4: A Logic Meta Programming Approach to Support the CoEvolution of Object-Oriented ... - Wuyts - 2001

3: Declarative Reasoning about the Structure of Object-Oriented Systems - Wuyts

2: Refactoring Object-Oriented Frameworks - Opdyke - 1992

BibTeX entry: ([Update](#))

Kris De Volder. Type-Oriented Logic Meta Programming. PhD thesis, Vrije Universiteit Brussel, 1998.
<http://citeseer.ist.psu.edu/devolder98typeoriented.html> [More](#)

```
@phdthesis{ devolder:98,
  author =      "De Volder, Kris",
  title =       "Type-Oriented Logic Meta Programming",
  school =      "Vrije Universiteit Brussel",
  year =        "1998",
  address =     "Programming Technology Laboratory",
  month =       "June",
  url =         "citeseer.ist.psu.edu/devolder98typeoriented.html" }
```

Citations (may not include all citations):

430 The Art of Prolog (context) - Sterling, Shapiro - 1994

285 The Essence of Functional Programming - Wadler - 1992

182 How to make ad-hoc polymorphism less ad hoc - Wadler, Blott - 1989